

محصولی نوین برای تست دکتورهای دودی



SmokeSabre تمام اشکالات اسپری های تست دکتور دودی موجود در بازار را حل کرده است!



شرکت آروین بناپاد

شعبه نماینده انحصاری محصولات DetectorTesters انگلستان

www.ARVINBANAPAD.com

Flick'n Test

امتیازات منحصر بفرد

More than canned Smoke!

- تعداد تست بیشتر و دقیق تر در ازای هر قوطی
- سرعت بالاتر در فعالسازی و پاکسازی دتکتور
- کمترین هزینه برای هر تست
- تعبیه قیمت Saber جهت عدم ایجاد رسوبات داخل محفظه دتکتور
- تست بدون سیلیکون
- سازگار با محیط زیست و بدون تولید گارهای گلخانه ای CFC
- دارای استانداردهای UL و ULC و مورد تایید کلیه تولید کنندگان معتبر دتکتور
- حجم 150 mm

SmokeSabre از تمام کدها و استانداردهای معتبر بین المللی پیروی می کند.



بر اساس استاندارد (D) Bs5839 1:2002;45.4 دتکتورهای دود نقطه ای باید بصورتی تست شوند که دود وارد محفظه دتکتور شده تا آژیر آن صدا درآورد (با استفاده از اسپری هایی که دودهای شبیه سازی شده را در اطراف دتکتور تولید میکنند). باید اطمینان حاصل شود که مواد استفاده شده برای تست دتکتور، خسارتی به خود دستگاه و مهمتر از به کارآیی آن وارد نمی کند. بر اساس استاندارد NFPA 72 Chapter 10 (10.4.2.2 3g) دتکتورها باید در مکانی تست شوند که مطمئن باشیم دود حتما وارد محفظه آن شده و دتکتور را فعال و آلامر آنرا به صدا در می آورد.

SmokeSabre چگونه کار میکند؟

این تستر قدم بزرگی در طراحی اسپری های تست دتکتور میباشد. تمام اسپری های موجود در بازار رسوبات مضر روی قسمت بیرونی یا درونی محفظه دتکتور بجا میگذارند که باعث تغییر رنگ محفظه پلاستیکی دتکتور میشوند همچنین موجب جذب گرد و غبار شده تاثیر بدیبر روی حساسیت سنسورهای دتکتور در تشخیص دود شده در برخی موارد باعث پوسیدگی یا حتی بطور کلی خرابی دتکتور میشود. رسوبات زمانیکه در فاصله بسیار نزدیک به دتکتور استفاده شود باعث تشکیل رسوب میشود. درحالیکه طبق دستورالعمل باین گونه نباید مورد استفاده قرار گیرد.


SmokeSabre با طراحی منحصر بفرد خود ضمن عدم بروز رسوب، دود شبیه سازی کافی را به محفظه دتکتور میرساند.

اسپری های موجود در بازار را میبایست با وسایل جانبی دیگری مورد استفاده قرار داد در حالیکه این تستر به هیچ وسیله جانبی دیگری نیاز ندارد و این امر موجب برتری آن نسبت به سایر برندها گردیده است.

SmokeSabre یک محصول نوین و جهانی است که قابلیت تست انواع دتکتورهای دودی موجود در بازار را دارد.

قسمت Sabre ساخته شده آن از نوعی پلاستیک است که بعد از دور انداختن بصورت ۱۰۰٪ تجزیه و جذب طبیعت میگردد. این محصول تنها اسپری دود موجود در بازار است که قابلیت بازیافت داشته و بصورت کامل با محیط زیست سازگار است.

این محصول جزء لیست های برتر ULC و UL میباشد و بر اساس استانداردهای بین المللی طراحی و تولید میگردد و مورد تایید بزرگترین تولید کنندگان دتکتور در جهان میباشد.




شرکت آروین بناپاد

شعبه نماینده انحصاری محصولات DetectorTesters انگلستان در ایران

www.ARVINBANAPAD.com

قم، بلوار ۵۵ متری عماریاسر، بین کوچه ۱۸۹۱۶ پلاک ۷۰

تلفن ۳۱-۳۷۷۱۶۶۳۰ اتوفاکس ۳۷۷۰۳۲۳۰ همراه ۰۹۱۲ ۴۵۱۶۴۷۰



اطلاعات جزئی و فنی کارخانه تولید کننده

SAFETY DATA SHEET

SDS0084UK

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 453/2010

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name

Smoke Sabre.

Trade Name

Smokesabre-01-XXX (XXX denotes customer vari

CAS No.

Mixture.

EINECS No.

Mixture.

REACH Registration No.

None assigned.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s)

Smoke simulation.

Uses advised against

None known.

1.3 Details of the supplier of the Safety Data Sheet

Company Identification

Detectortesters (No Climb Products Ltd)
Edison House
163 Dixons Hill Road
Welham Green
Hertfordshire. AL9 7JE.
United Kingdom

Telephone

+44 (0) 1707 282760

Fax

+44 (0) 1707 282777

E-mail

SDS@detectortesters.com

1.4 Emergency telephone number

Emergency Phone No.

+44 (0) 1707 282760

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Directive 67/548/EEC & Directive 1999/45/EC F+; Extremely flammable.

2.2 Label elements According to Directive 67/548/EEC &



Directive 1999/45/EC Hazard Symbol

Risk Phrases R12: Extremely flammable.

Safety Phrases S2: Keep out of the reach of children.

S9: Keep container in a well-ventilated place. S16: Keep away from sources of ignition - No smoking.

Additional Information 96.5 % by mass of the contents are flammable.

Do not spray on a naked flame or any incandescent material. Do not pierce or burn, even after use. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C.

2.3 Other hazards None.

2.4 Additional Information None.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

3.1 Mixtures

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	EC Classification and Risk Phrases
Butane	50 - 100	106-97-8	203-448-7	01-2119474691-32	F+; R12

Propane	10 - 25	74-98-6	200-827-9	01-2119486944-21	F+; R12
Ethanol	0 - 5	64-17-5	200-578-6	None assigned	F; R11

3.2 Additional Information

For full text of R/S phrases see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

Wash with plenty of soap and water.

Eye Contact

Flush eyes with water for at least 15 minutes while holding eyelids open.

Ingestion

Unlikely route of exposure.

4.2 Most important symptoms and effects, both acute and delayed None anticipated.

4.3 Indication of any immediate treatment needed Unlikely to be required but if necessary treat medical attention and special symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

Pressurised container: May burst if heated.

5.1 Extinguishing Media

Suitable Extinguishing Media dioxide, dry chemical, foam or

Extinguish with carbon

waterspray.

Unsuitable Extinguishing Media Do not use water jet.

5.2 Special hazards arising from the substance or mixture Heating may cause pressure rise with risk of bursting.

5.3 Advice for fire-fighters complete protective clothing

Fire fighters should wear

including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

- 6.1 Personal precautions, protective equipment and emergency procedures
Ensure adequate ventilation. Wear suitable equipment and emergency gloves and eye/face protection.
- 6.2 Environmental precautions
Do not release large quantities into the surface water or into drains.
- 6.3 Methods and material for containment and cleaning up
Collect mechanically and dispose of spillages onto sand, earth or any suitable adsorbent material. Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by burning, even when empty.
- 6.4 Reference to other sections
See Also Section: 8, 13.

7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Provide adequate ventilation. Do not eat, drink or smoke during work. Wash hands thoroughly after handling.
- 7.2 Conditions for safe storage, including any incompatibilities
Observe official regulations on storing packagings with pressurised containers.
Storage Temperature
Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C.
Storage Life
Stable under normal conditions.
Incompatible materials
None anticipated.
- 7.3 Specific end use(s)
Smoke simulation.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Butane	106-97-8	600	1450	750	1810	WEL
Ethanol	64-17-5	1000	1920	-	-	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2 Biological limit value Not established.

8.1.3 PNECs and DNELs Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection If eye contact is likely: Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other) Wear suitable



**gloves if prolonged skin contact is likely.
Gloves: Nitrile rubber, NBR.**



Respiratory protection No personal respiratory protective equipment normally

required. Handling of larger amounts: In case of insufficient ventilation, wear suitable respiratory equipment. A suitable mask with filter type A (EN14387 or EN405) may be appropriate.

Thermal hazards Not applicable.

8.2.3

Environmental Exposure Controls

Do not release large quantities into the surface water or into drains.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Aerosol.

Colour Colourless.

Odour Characteristic.

Odour Threshold Not determined. pH Not determined.

Melting Point/Freezing Point Not determined.

Initial boiling point and boiling range -44 °C

Flash Point <0 °C

Evaporation rate Not available.

Flammability (solid, gas) Extremely flammable.

Upper/lower flammability or explosive limits Explosive Limit Ranges: 1.5 – 15.0 Vol-%

Vapour pressure 4.3 bar @ 20 °C

Density 0.58 g/cm³ @ 20 °C Vapour density Not determined. Relative density Not determined.

Solubility(ies) Immiscible with water.

Partition coefficient: n-octanol/water Not determined.

Ignition temperature 365 °C

Auto-ignition temperature Product is not selfigniting.

Decomposition Temperature Not determined. Kinematic Viscosity Not determined.

Explosive properties Not explosive.

Oxidising properties Not oxidising.

9.2 Other information

Organic solvents - Content 96.4%

Solid Content 2.0%

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions. 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Stable under normal conditions.

10.4 Conditions to avoid Heat and direct sunlight.

10.5 Incompatible materials None anticipated.

10.6 Hazardous Decomposition Product(s) None known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.1 Mixtures

Acute toxicity	Low acute toxicity.
Irritation	Non-irritant.
Corrosivity	Not classified.
Sensitisation	It is not a skin sensitiser.
Repeated dose toxicity	None anticipated.
Carcinogenicity	No evidence of carcinogenicity.

Mutagenicity	There is no evidence of mutagenic potential.
Toxicity for reproduction	None anticipated.
Aspiration hazard	None anticipated.
11.2 Other information	None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Low toxicity to aquatic organisms.
12.2 Persistence and degradability	The product is readily biodegradable. Unlikely to persist.
12.3 Bioaccumulative potential	The product has no potential for bioaccumulation.
12.4 Mobility in soil	Immiscible with water. The product is predicted to have low mobility in soil.
12.5 Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6 Other adverse effects	None.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Do NOT landfill.
13.2 Additional Information with local,	Disposal should be in accordance with state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number	ADR, IMDG, IATA UN 1950
14.2 UN Proper Shipping Name	ADR 1950 AEROSOLS IMDG AEROSOLS IATA AEROSOLS, Flammable
14.3 Transport hazard class(es)/ Division	ADR Class 2 5F Gases Label 2.1 IMDG, IATA

Class 2.1

Label 2.1

14.4 Packing Group ADR, IMDG, IATA None.

14.5 Environmental hazards

Marine Pollutant No.

14.6 Special precautions for user Warning: Gases.

Kemler Code - IMDG EMS F-D, S-U

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

14.8 Additional Information

ADR

Limited Quantity (LQ) 1 L



ADR Transport Category 2

Tunnel Restriction Code D

IMDG

Limited Quantity (LQ)

IATA

Limited Quantity (LQ)



UN "Model Regulation" UN 1950, AEROSOLS, 2.1

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or mixture

15.1.1 EU regulations Authorisations and/or restrictions on use

Candidate List of Substances of Very High Concern All chemicals are not listed. for Authorisation

REACH: ANNEX XVII Restrictions on the All chemicals are not listed.

manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

REACH: ANNEX XIV List of substances subject to All chemicals are not listed. authorisation

Community Rolling Action Plan (CoRAP); All chemicals are not listed. Draft 29/02/2012

15.1.2 National regulations None known. Wassergefährdungsklasse (Germany)

Ethanol WGK class 1

Technical Instructions (air)

VOC-CH 96.45%

VOC-EU 559.4g/l

Danish MAL Code 3-1

Class	Share in %
NK	50 - 100

15.2 Chemical Safety Assessment Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
WGK	Wassergefährdungsklasse (Germany)
VOC	Volatile Organic Compounds
MAL Code	Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG	International Maritime Code for Dangerous Goods
IATA	International Air Transport Association
F+	Extremely flammable
F	Highly flammable

Risk Phrases

R11 Highly flammable.

R12 Extremely flammable.

Disclaimers

The information is based on the best knowledge of No Climb Products Ltd. and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.



شرکت آروین بناپاد

شعبه نماینده انحصاری محصولات DetectorTesters انگلستان در ایران

www.ARVINBANAPAD.com

قسم، بلوار ۵۵ متری عماریاسر، بین کوچه ۱۸ و ۱۶ پلاک ۷۰

تلفن ۳۱-۳۷۷۱۶۶۳۰ اتوفاکس ۳۷۷۰۳۲۳۰ همراه ۰۹۱۲ ۴۵۱۶۴۷۰